APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	JUN 2 3 1981	
Returned to applicant for correction	SEP 0 4 1981	
Corrected application filed		
Map filed.		
The applicant The Ima E. Brown	ne & Doug Capps & Clair Austin	
350 Pearl St. Apt 1501 Street and No. or P.O. Box No.	, of Eugene City or Town	
	hereby make application for permission to appropriate the public	
	fter stated. (If applicant is a corporation, give date and place of incorpora-	
tion; if a copartnership or association, give	e names of members.)	
1. The source of the proposed appropria	ation is Alba springs and Tributaries Name of stream, lake or other source.	
2. The amount of water applied for is	0.125 cfs One second-foot equals 448.83 gals. per min.	
	One second-root equals 448.83 gals. per min. of acre-feetacre-feet	
•	stockwatering rigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.	
	rigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.	
4. If use is for:		
	to be irrigated)	
(b) Stockwater (state number and kin	nds of animals to be watered) 800 cattle	
(c) Other use (describe fully under "	No. 12. Remarks")	
(d) Power:		
(1) Horsepower developed	······································	
(2) Point of return of water to s	tream	
5. The water is to be diverted from its s	ource at the following point: NW4 NW4 section 21, T.24N.,	
	which the N¼ corner of Section 21 bears N. 57 degrees	
26'E 1715 68 foot	ision of public survey, and by course and distance to a section corner. If on unsurveyed land,	
it should be stated.	03 TO4N DEET MDM	
6. Place of use NW4 NW4 Section	on 21 T24N R55E MDM scribe by legal subdivision, if on unsurveyed land it should be so stated.	

	and end about Dec 31 , of each year.	
8. Description of proposed works. (Und	der the provisions of NRS 535.010 you may be required to submit plans and	
specifications of your diversion or sto	orage works.) Diversion works pond pipe line from pond	
to watering tanks	ted is diversion structure ditches and filmes drilled well with nump and motor, etc.	

9.	Estimated cost of works	\$1000.00
10.	Estimated time required to const	uct works If well completed, describe works.
11.	Estimated time required to comp	lete the application to beneficial use 2 yrs
12.	Remarks: For use other than in consumptive use.	igation or stock watering, state number and type of units to be served or annu
	Use map filed under	971
	Thelma E Browne wife	of Arthur D Browne son of Arthur H Browne - legal
	documents showing tr	nsfer of ownership. Elko County Clerks Office Probate
Com	Case # 3004 Sept. 2, Doug Capps interest Book 360 pg. 585 Elko County Apared CS/JS	1981 By s/Douglas L. Capps Signature, applicant or agent 86446 Lorane Hwy Eugene, Ore. 97405
		OF STATE ENGINEER
#		
The	amount of water to be appropria	ed shall be limited to the amount which can be applied to beneficial use, and cubic feet per second.
Acti		on or before
	· · ·	be filed before
		able diligence and be completed on or before
	-	iled before
		shall be made on or before
Proc	of of the application of water to b	neficial use shall be filed on or before.
Маг	in support of proof of beneficial	se shall be filed on or before
Com Proo		State Engineer of Nevada, have hereunto set my hand and the seal my office, this day of A.D. 19. TO REFILE
	218 (Rev. 9-80) CC	State Engineer State Engineer